



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor

B. M. H. L. C. V. 87

Recorded



Township N. 6. North of Range N. 1 West 2<sup>nd</sup> Mer. Indian

South Boundary

a7

West Oak Random line On the South Boundary of sec. 36.  
T. 6. N. R. 1 W.

40.00 Set a temporary 7<sup>th</sup> support

80.00 Set a temporary post on the line for the corner of sec. 35 & 36.  
Sand & rolling timber Sugar. Oak Poplar Black &c.

West Oak Random line On the South Boundary of sec. 35.  
T. 6. N. R. 1 W.

40.00 Set a temporary 7<sup>th</sup> support

45.50 Set a Rock 10 links wide, corner S.

55.00 " " " " " " " " N. W.

80.00 Set a temporary post for the corner of sec. 34 & 35.  
Sand & the same.

West Oak Random line On the South Boundary of sec. 34.  
T. 6. N. R. 1 W.

9.00 Set a Rock 30 links wide, corner S.

15.00 " " " " " " " " N. W.

20.50 " " " " " " " " N. W.

23.00 " " " " " " " " N. W.

40.00 Set a temporary 7<sup>th</sup> support.

72.00 Set a Rock 20 links wide, corner S. W.

80.00 Set a temporary post for the corner of sec. 33 & 34.  
Sand & the same.

West Oak Random line On the South Boundary of sec. 33.  
T. 6. N. R. 1 W.

40.00 Set a temporary 7<sup>th</sup> support

80.00 Set a temporary post for the corner of sec. 32 & 33.  
Sand & the same.

West Oak Random line On the South Boundary of sec. 32.



T. N. C. N. R. N. 172<sup>nd</sup> Mm. Ind.

T. C. N. R. 171.

West	On the same line On the South Boundary of sec. 32 T. C. N. R. 171.
* 40,00	Set a trap for supeast.
* 14,00	Long Rock 12 links in dia. Lermus & Co.
80,00	Set a trap just further on of sec. 31 & 32. Sands rolling. In the Oak & Hickory.
West	On the same line On the South Boundary of sec. 31. T. C. N. R. 171.
40,00	Set a trap for supeast.
81446	Intersect the Range line North of the cor of T. 34 & N. R. 16 & 17. Sand the same.
East	On the same line On the South Boundary of sec. 31. T. C. N. R. 171.
4446	Set the trap for supeast on the same line from which Oak 12 in dia. here. N 87 W 7 links east, 10 B Walnut 10 " " N 7 W 30 " "
81446	Set the trap just on the same line for the cor of sec. 31 & 32 from which, Oak 12 in dia. here. N 70 E 16 the east under. Loc. 12 " " S 7 E 28 " " This mile is over thin Oak, & Hickory. Timbered land.
East	On the same line On the South Boundary of sec. 32 T. C. N. R. 171.
40,00	Set the trap for supeast on the same line from which Buck 12 in dia. here. N 86 E 15 the east, 10 Hogwood 5 " " S 13 E 6 " "
80,00	Set the trap just on the same line for the cor of sec. 31 & 32 from which, Poplar 11 in dia. here. S 72 E 25 the east under. Walnut 11 " " N 13 W 20 " "

T. N. C. N. R. N. 172<sup>nd</sup> Mm. Ind.

* East	On the same line On the South Boundary of sec. 34. T. C. N. R. 171.
40,00	Set the trap for supeast on the same line from which Oak 20 in dia. here. N 45 E 32 the east, 10 Loc. 20 " " N 9 W 20 " "
80,00	Set the trap just on the same line for the cor of sec. 33 & 34 Buck 21 in dia. here. N 30 W 15 links east, 10 Loc. 16 " " N 35 E 16 " "
* East	On the same line On the South Boundary of sec. 33. T. C. N. R. 171.
40,00	Set the trap for supeast on the same line from which Sugar 10 in dia. here. N 49 E 15 links east, 10 Buck 11 " " S 43 E 10 " "
80,00	Set the trap just on the same line for the cor of sec. 33 & 34 from which, Buck 6 in dia. here. N 78 E 57 the east under. Sugar 10 " " N 12 E 7 " "
East	On the same line On the South Boundary of sec. 35. T. C. N. R. 171.
40,00	Set the trap for supeast on the same line from which Hick 6 in dia. here. N 81 E 10 the east, 10 Hogwood 6 " " S 11 W 12 " "
80,00	Set the trap just on the same line for the cor of sec. 35 & 36 from which, Blue Oak 12 in dia. here. N 1 E 9 the east under. Loc. " " N 52 E 15 " "
East	On the same line On the South Boundary of sec. 36. T. C. N. R. 171.
40,00	Set the trap for supeast on the same line from which Buck 8 in dia. here. N 35 E 17 the east, 10 Loc. 12 " " S 78 W 21 " "
80,00	Set the cor of T. 37 & N. R. 16 & 17.



*J. N. C. N. A. N. 177<sup>th</sup> Mm. Ind.*

East Broadway

D. Mur.

B. 40

North On the 2<sup>nd</sup> of Mr. Meridian East Borneo of Lu. N.  
J. C. N. R. 177. v. 766.

4.50 To Spring Run. to the mud, loc. S.E.

40,000 A Bunk 10 in wire Stems for cor of 70 cu.

4310 Iron Beach. 12 mi. dist. Stand in the mi.

85.00 Set apart for the use of Mr. B. B. B. from white  
Oak 30 in dia. trees. 29 E. 10th dist. to  
Beak. 10 " " " 25 W. 24 " "  
Good good for farming timber Beak, Cat,  
Walnut, &c.

Auth On the East Boundary of sec. 25 T. 6. N. R. 1 W.

3750 Log Brook 8 the ma, Coma M.

40,00 Let a 74 support from white

Kuckeye Win dist. from N.E. 27 lbs dist. to  
Loc. 10 " " " " Abn M 3.

80,00 Set apart for the engine. 24425 from which  
Bent 8 in diam bore. All 236 the rest 70  
Lb. 12, , , 1147. 34, ,  
Lands the same.

Auth On the East Branch of the 24. J. C. M. M.

Top of Oak 18 mi. due S. in the line.

40.00 Of a 70 supst from which

Luga. 10 in dist. hrs. S 18 W. 10 lbs. dist., B  
Buck. 8 " " " " S 6 E. 27 " "

7.3.25. Log Book 10 Mo. m<sup>th</sup>, Leonia N.

80,00 Let a post for the cargo of 1324 from whitey  
Beck. 10 in air: from 11 E. 45 the cost: 75  
Ld. 8 " " " No 23.

*I. N. C. R. N. 172<sup>nd</sup> Mn. Ind.*

171

North Oak East Bormay of w. 13. 26. 48. 1 W.

13.22 Long Beach. 80th, mid, Coma I. W.

40,00 Set a <sup>m</sup> suspect from exhibit,

Book 12 in air. tem. 77° 78° the met. say

80,00      Lc.    9 " " "      N 80 E. 25. "  
Set apart for the c<sup>y</sup> of our 12413 from what  
Buck. 10 in our hands. N 6 W. 23 the rest; to

North ~~On the~~ East Boundary of sec. 12, T. 6. N. R. 1 W.

10.50 Log Book. 25 Mr. mid. Leome. W.

40,000 Set a/pu su post gum white

Beak 10 in air line. 159 & 12 Ws. met. 29

Weak. 12 " " " 1844 W. 20 " "  
80.00 Let apart for the cu of res. 1812 Linn white  
P. 20 in 1812. 1844 W. 20 " "

To plan. 20 in dec: 4 hrs. 406. 67 the chert, 1  
 March 10 " " " 437. 19, "  
 Lunde kelly, Jimbu Oak & Henry & Buck Ge.

North Creek East Branch of *ic.* S. T. 6. N. 8. 1 W.

4000 Get a 74 report from whiskey

Hicks 10 in. dia. lens 137.14 lbs. wt., ea.

Reut. 10      "      "      A5E. 24

7550 Top Brook 10<sup>1</sup>/<sub>2</sub> mi. Course N.  
8000 Let a point at the exact distance of six miles from  
8050 a point of 1984 wide at 54° found the same.

83.00 Let post Co. to Lowry } Carried by  
Arthur Henric, Es.

North Pound.

West from the cur of S. 6<sup>th</sup> N. R. 31 E. 4<sup>th</sup> in the South  
Boundary of sec 36. T. 7. N. R. 31 W.

\* 693 N. 12 E is NW, from which  
a Sugar 10 in diam. tree, 1728 g in. dbh &  
a No. 15 " " " 18647 " "







T. A. C. A. R. No. 174 D<sup>nd</sup> M<sup>u</sup>. Ind.

North	On the East Boundary of Sec. 36. T. 6. N. R. 2 W.
40.00	Set a post from which Nick 10 in dist. from. S 29 E. 26 the dist. to Loc. 12 " " " " N 19 W. 32 " "
80.00	Set a post for the corner of 25 & 36 from which Dogwood 6 in dist. from. S 19 E. 34 the dist. to Loc. 9 " " " " S 1 E. 31 " "
	Land rolling Timber Oak & Hickory. Poplar & Birch
North	On the East Boundary of Sec. 25. T. 6. N. R. 2 W.
13.80	Log Mark 12 in dist. in the line.
40.00	Set a post from which Birch 10 in dist. from. S 15 W. 40 the dist. to Oak 12 " " " " S 6 W. 19 " "
80.00	Set a post for the corner of 24 & 25 from which Birch 18 in dist. from. N 78 E. 27 the dist. to Loc. 11 " " " " N 47 W. 23 " "
	Land the same.
North	On the East Boundary of Sec. 24. T. 6. N. R. 2 W.
13.00	Log Mark 30 in dist. in the line.
40.00	Set a post from which Hick 10 in dist. from. S 25 E. 28 the dist. to Dogwood 6 " " " " N 19 W. 23 " "
76.00	Log Mark 10 the same. Corner E.
80.00	Set a post for the corner of 13 & 24 from which Poplar 12 in dist. from. S 30 W. 30 the dist. to Birch 20 " " " " S 53 E. 15 " "
	Land the same Soil Timber Oak. Birch, &c. W. Spruce
North	On the East Boundary of Sec. 13. T. 6. N. R. 2 W.
40.00	Set a post from which Oak 7 in dist. from. N 17 W. 23 the dist. to

T. A. C. A. R. No. 175 D<sup>nd</sup> M<sup>u</sup>. Ind.

	Oak 20 in dist. from. N 60 E. 24 the dist.
76.50	Log Mark 10 the same. Corner E.
80.00	Set a post for the corner of 12 & 13 from which Birch 20 in dist. from. N 65 E. 11 the dist. to Loc. 20 " " " " S 26 W. 26 " "
	Land the same.
North	On the East Boundary of Sec. 12. T. 6. N. R. 2 W.
40.00	Set a post from which Sugar 6 in dist. from. S 25 E. 7 the dist. to Loc. 8 " " " " N 80 W. 14 " "
80.00	Set a post for the corner of 11 & 12 from which Hick 10 in dist. from. S 71 E. 5 the dist. to Sugar 12 " " " " N 8 E. 25 " "
	Land the same Timber Sugar. Birch &c.
North	On the East Boundary of Sec. 1. T. 6. N. R. 2 W.
15.50	Log Mark 24 in dist. in the line.
40.00	Set a post from which Oak 10 in dist. from. S 26 W. 7 the dist. to Dogwood 6 " " " " S 10 E. 16 " "
49.00	Log Mark 30 in dist. in the line.
80.00	Set a post at the distance of 6 miles from the South Boundary for the corner of T. 6 N. R. 1 W.
	Surveyed by Arthur Henric. L.S.
Subdivision	
North	Return Sec. 35 & 36 T. 6. N. R. 1 W.
33.00	Log Mark 10 the same. Corner W.
40.00	Set a post from which Dogwood 6 in dist. from. S 64 W. 15 the dist. to Birch 10 " " " " N 73 W. 21 " "



## J. N. O. S. R. N. S. N. D. M. S. Ind.

49.50	To a Poplar 29 in dia in the line.
61.70	To a Brook 18 huts mds, lower N.
80.00	Set a post for the carpenter. 25. 26. 35 186. from which, Sunderling Timber Beach, Poplar Sugar.
East	On a Random line between Sur. 25 186. T. 6. N. R. 17.
40.00	Set a trip 1/4 support.
80.00	Set a post for the East Boundary 30 lbs South of the first cor of cut. 25 186. Sunderling same.
West	On the line between Sur. 25 186. T. 6. N. R. 17.
40.00	Set the trip 1/4 support on the line at the av. dist from which, Sugar 6 in dia beam. 170 N. 16 lbs dist can do a 10. 8 " " " 160 N. 21. " "
80.00	To the cor of cut 25. 26. 35 186.
North	Between Sur. 25 186. T. 6. N. R. 17.
40.00	Set a 1/4 support from which, Immersed 6 in dia beam. N 38 W. 22 lbs dist. 20, Beach. 20 " " " 21 E. 24 " "
59.50	To a Brook 22 huts mds, lower N. W.
80.00	Set a post for the cor of cut. 23. 24. 25 186. from which, Logwood 12 in dia beam. N 43 E. 15 lbs dist. 20, Beach. 10 " " " 17 E. 20 " " Sunderling Timber same.
East	On a Random line between Sur. 24 185 T. 6. N. R. 17.
40.00	Set a trip 1/4 support.
79.86	Set a post for the East Boundary 18 lbs South of the first cor of cut. 24 185. Sunderling same.

## J. N. O. S. R. N. S. N. D. M. S. Ind.

West	On the line between Sur. 24 185 T. 6. N. R. 17.
39.93	Set the trip 1/4 support at the av. dist on the line from which, Beach. 22 in dia beam. 179 E. 22 lbs dist can do a 10. 24 " " " 174 N. 18 " " 79.86. To the cor of cut. 23. 24. 25 186.
North	Between Sur. 23 184. T. 6. N. R. 17.
40.00	Set a 1/4 support from which, Immersed 6 in dia beam. N 10 E. 10 lbs dist. 20, 10. 8 " " " N 16 N. 7 " " "
43.00	To a Brook 100 lbs mds, lower N.
80.00	Set a post for the carpenter. 23. 24. 25 186. from which, Elm. 40 in dia beam. N 25 W. 27 lbs dist. 20, Stick 12 " " " N 86 E. 32 " " Sunderling same.
East	On a Random line between Sur. 23 184. T. 6. N. R. 17.
2.50	To a Brook 100 lbs mds, lower N.
10.00	" " 20. 100 " " " " " " "
40.00	Set a 1/4 support.
43.00	To a Brook 100 lbs mds, lower N.
80.00	Set a post for the East Boundary 12 lbs South of the first cor of cut. 23 184. Sunderling same.
West	On the line between Sur. 23 184. T. 6. N. R. 17.
40.00	Set a 1/4 support on the line from which, Elm. 40 in dia beam. N 54 E. 50 lbs dist. 20, Beach. 10 " " " N 29 W. 30 " " "
80.00	To the first cor of cut. 23 184. 23 184.
North	Between Sur. 23 184. T. 6. N. R. 17.
0.50	To a Brook 100 lbs mds, lower N. 500 lbs. " "
40.00	Set a 1/4 support from which,



## J. N. C. A. R. N. 177 2nd Mn. Ind.

80.00	Black 24 in dia. beam. N 11 E. 25 lbs dist, to, Beck 6 " " " S 8 W. 9 " " Set a post for the crop out N. 12. 13 14 from white, 23 Walnut 20 in dia. beam N 8 W. 18 lbs dist, to, Ely. 8 " " " S 6 W. 19 " " Land the same.
East 40.00	On a Kanam line between Dec 12 1773. T. 6. N. R. 1 W.
65.00	Set a timber for support.
49.75	To a Brook 25 lbs mas, corner W.
	Set out the N 13 line or East corner 40 lbs North of the post crop out 12 13 Land the same.
West 37.87 1/2	On the line line between Dec 12 1773. T. 6. N. R. 1 W.
	Set the timber for support at the ar. dist on the line from white, Beck 12 in dia. beam. N 80 E 39 lbs dist, Sa. 12 " " " S 36 E 7 " " Set the crop out 4. 12. 13 & 14.
North 40.00	Return Dec 11 1773 T. 6. N. R. 1 W.
	Set a post support from white, Beck 12 in dia. beam. N 33 W. 22 lbs dist, to, Lo. 10 " " " S 54 E 17 " "
13.50	To a Brook 12 lbs mas, corner S. W.
80.00	Set a post for the crop out N. 12. 13 14 from white, Ely. 8 in dia. beam. N 65 W. 17 lbs dist, to, Sugar. 8 " " " N 37 W. 22 " " Land with timber same.
East 15.00	On a Kanam line between Dec 1773 T. 6. N. R. 1 W.
40.00	To a Brook 12 lbs mas, corner S.
80.25	Set a timber for support
	Set out the East corner 55 lbs North of the post

## J. N. C. A. R. N. 177 2nd Mn. Ind.

	Crop out 1773 Land the same.
West 40.00	On the line line between Dec 1773 T. 6. N. R. 1 W.
	Set the timber for support on the line line at the ar. dist from white on corner 16 in dia. beam. N 14 W. 11 lbs dist, an ar. Nick 10 " " " N 78 W. 13 " "
80.25	Set the crop out 1. 2. 11 1773.
North 24.50	Return Dec 1773 T. 6. N. R. 1 W.
	To a Brook 18 in dia. in the line.
40.00	Set a post support from white, Sugar 10 in dia. beam. N 10 E 12 lbs dist, to, Poplar 11 " " " S 63 E 8 " "
82.00	Set out the N. corner 100 lbs West of the post. crop out 35 36 T. 7. N. R. 1 W. and set a post crop " " 1773 from white, Dogwood 6 in dia. beam. N 32 E 8 lbs dist, to, Beck. 12 " " " S 77 W. 12 " " Land the same. April 2. 18. 1774.
North 0.50	Return Dec 34 1775. T. 6. N. R. 1 W.
17.00	To a Brook 50 lbs mas, corner W.
40.00	Beck 20 in dia. in the line.
	Set a post support from white, Beck 6 in dia. beam. S 8 E 20 lbs dist, to, Sugar. 18 " " " S 48 E 8 " "
80.00	Set a post for the crop out 26 27 34 35 from white, Dogwood 6 in dia. beam. S 37 E 11 lbs dist, to, Beck. 6 " " " N 35 W. 14 " " Land with timber Beck, Sugar, Ash, & Poplar.
East 40.00	On a Kanam line between Dec 26 1775 T. 6. N. R. 1 W.
	Set a timber for support



T. A. C. A. R. A. 179<sup>th</sup> M. Ind.

7994	Take out the 115 <sup>th</sup> line 8 mps. South of the first cor of sec 26, 27, 35 & 36. Sand & the same.
Met	On the line between Sec 26 & 27 T. 6. N. R. 1 W.
39.97	Set the temp. 7 <sup>th</sup> support at the cor. dist on the line from white, Bent 12 in dia. beam. N 67 E. 37 the dist. 10 and 10. Sugar. 6 " " N 29 E. 11 " "
79.94	Take out cor of sec 26, 27, 34 & 35.
100th	Between Sec 26 & 27 T. 6. N. R. 1 W.
27.50	Take Brook 10 the mds, Come N.
40.00	Set a 7 <sup>th</sup> support from white, Bent 20 in dia. beam. N 44 W. 10 the dist. 10, 10. 18 " " N 22 E. 22 " "
54.50	Take Brook 200 the mds, Come N.
80.00	Set a post for the cor of sec 22, 23, 26 & 27 from white, Sugar. 10 in dia. beam. N 18 W. 33 the dist. 10, 10. 8 " " N 22 E. 28 " "
	See sketch, line to same.
East	On a Kanam line between Sec 23 & 26 T. 6. N. R. 1 W.
3.00	Take Brook 200 the mds, Come.
15.00	East side, Come N.
40.00	Set a temp. 7 <sup>th</sup> support.
80.00	Take out the 115 <sup>th</sup> line 12 the South of the first cor of sec 23, 24, 25 & 26. Sand & the same.
Met	On the line between Sec 23 & 26 T. 6. N. R. 1 W.
40.00	Set the temp. 7 <sup>th</sup> support for the line from white, N 107 E. 8 in dia. beam. N 89 E. 106 the dist. 1
80.10	Take cor of sec 22, 23, 25 & 26.
North	Between Sec 23 & 26 T. 6. N. R. 1 W.

T. A. C. A. R. A. 179<sup>th</sup> M. Ind.

0.50	To Salt Creek 200 the mds, Come N.E.
40.00	Set a 7 <sup>th</sup> support from white, Sugar 10 in dia. beam. N 17 E. 29 the dist. 10, Bent 20 " " N 17 W. 30 " "
	This post is 400 the 1 <sup>st</sup> far South by a pin being lost.
72.50	Take Brook 100 the mds, Come N.
80.00	Set a post for the cor of sec 14, 15, 22 & 23 from white, Bent 12 in dia. beam. N 19 E. 10 the dist. 10, 10. 20 " " N 10 W. 28 " "
	See sketch.
East	On a Kanam line between Sec 14 & 23 T. 6. N. R. 1 W.
20.00	Set a temp. 7 <sup>th</sup> support.
43.40	To a pond 300 the mds, line. N 67 E. 17
52.00	Take Brook 100 the mds, Come N.
78.00	To sec. 100 " " " "
80.10	Take out the 115 <sup>th</sup> line at the first cor of sec 13, 14, 23 & 24. Sand bent & mt.
Met	On the line between Sec 14 & 23 T. 6. N. R. 1 W.
40.05	Set the temp. 7 <sup>th</sup> support on the line from white, Bent 10 in dia. beam. N 57 W. 10 the dist. 10, 10. 10 " " N 64 E. 9 " "
80.10	Take cor of sec 14, 15, 23 & 25.
North	Between Sec 14 & 23 T. 6. N. R. 1 W.
5.50	Take Brook 200 the mds, Come N.
40.00	Set a 7 <sup>th</sup> support from white, Bent 10 in dia. beam. N 16 W. 20 the dist. 10, 10. 8 " " N 15 W. 13 " "
61.50	To an Elm, 18 in dia. N 100 the line.
80.00	Set a post for the cor of sec 10, 11, 14 & 15 from white,



## T. A. C. A. R. No. 177 2nd Mo. Ind.

	Beck 24 in air bar. 879 N 31 the dist. 89 Do. 12 " " 870 E 27 " " Sound hill and mt. Timber Beck Ash & Maple.
East	On a random line between Sec 11 & 12 T. 6 N. R. 17 W.
40.00	Set a temporary support.
54.50	Long Brook 200 links m. d., Corner S. W.
80.00	Set out the N. E. line. 12 links South of the post cor of sec. 11 12 13 & 14 Sound the same.
West	On the true line between Sec 11 & 12 T. 6 N. R. 17 W.
40.00	Set the temporary support on the true line at an angle from white, Beck 18 in air bar. N. 5 W. 39 the dist. on acc. Septa 10 " " 149 E 10 " "
80.00	Set the post cor of sec. 10 11 12 & 13.
North	Return Sec 10 & 11 T. 6 N. R. 17 W.
40.00	Set a temporary support from white.
	Beck 8 in air bar. 87 E. 20 the dist. 89 Do. 12 " " 132 N. 11 " "
44.50	Long Brook 25 the m. d., Corner E.
52.00	" " Do. 20 1/2 " " 2 E.
80.00	Set a post for the corner 2, 3 & 4 from white, Sugar 6 in air bar. 879 N. 11 the dist. 89 Beck 6 " " 153 E. 18 " " Sound hill and mt. Timber Beck &c.
East	On a random line between Sec 2 & 11 T. 6 N. R. 17 W.
40.00	Set a temporary support.
80.00	Set out the N. E. line 12 the. North of the post cor of sec. 1, 2, 11 & 12 Sound hill, Timber Beck, Oak Hick &c.

## T. A. C. A. R. No. 177 2nd Mo. Ind.

West	On the true line between Sec 2 & 11 T. 6 N. R. 17 W.
40.00	Set a temporary support at an angle on the true line from white, Beck 12 in air bar. N. 51 W. 17 the dist. on acc. Do. 12 " " 182 E. 22 " "
80.00	Set the post cor of sec. 2 & 11.
North	Return Sec 2 & 3 T. 6 N. R. 17 W.
40.00	Set a temporary support from white, Sound same. 12 in air bar. N. 25 W. 44 the dist. 89 Beck 6 " " 130 E. 21 " "
82.60	Set out the N. E. corner 17 1/2 the West of the post cor of Sec 3 & 4 135. T. 7 N. R. 17 W. and set a post for the cor, 17 1/2 from white Beck 12 in air bar. N. 6 E. 14 the dist. 89 Do. 6 " " 162 N. 15 " " Sound same. Apr. 3. 1814
North	Return Sec 3 & 4 T. 6 N. R. 17 W.
20.00	Long Brook 200 the m. d., Corner S. E.
40.00	On an Offset to the West
80.00	Set a post for the corner 2, 3 & 4 from white, Hick 18 in air bar. N. 62 E. 18 the dist. 89 Sugarwood 8 " " 136 E. 12 " " Sound mt. Timber Beck, Ash, Gum, Oak & Hick
East	On a random line between Sec 2 & 11 T. 6 N. R. 17 W.
44.00	Long Brook 20 the m. d., Corner S.
40.00	Set a temporary support.
58.50	Long Brook 10 the m. d., Corner S.
80.00	Set out the N. E. line, at the post cor of sec. 2 & 3, 135 Sound hill, Timber Beck, Oak & Hick
West	On the true line between Sec 2 & 11 T. 6 N. R. 17 W.



## I. A. C. N. R. No 177 Dnd. Mr. Ind.

40.00 Set a trap for a post at the an. dist. on the line  
from which Walnut 12 in diam. N 88 E. 35 the dist.  
and down 10000 - " " N 63 E. - " ,  
80.00 Set a post on of 200 27 28 33 34 35

North Return Set 27 28. I. C. N. R. 177.  
24.00 Set a post 30 the line, leave I. N.  
28.00 " 100. 30 " " " D. E.  
39.00 " 100 30 " " " I. N.  
40.00 Set a post from which  
Hick 17 in diam. N 32 E. 10 the dist. to  
10. 12 " " " N 10 E. 5 " "  
65.00 Set a post 30 the line, leave D. E.  
80.00 Set a post for the car of 21 22 27 28 from which  
Sugar 10 in diam. N 89 E. 30 the dist. to  
Oak 20 " " " N 23 E. 11. "  
Leave the same.

East On a random line between Set 22 27 I. C. N. R. 177.  
40.00 Set a trap for a post.  
80.00 Set a post on the line at the post on of 22 23  
26 27 Leave hills, Timber Oak, Poplar &c.

West On the line between Set 22 27. I. C. N. R. 177.  
40.00 Set a trap for a post at the an. dist. on the line  
from which, Beech. 24 in diam. N 74 E. 10 the dist.  
and a Sugar. 8 " " " N 57 E. 13. "  
80.00 Set a post on of 21 22 27 28.

North Return Set 27 28 I. C. N. R. 177.  
40.00 Set a post from which  
Oak 24 in diam. N 67 E. 12 the dist. to  
Sugar. 10 " " " N 20 E. 8 " "  
Leave the same.

are 240  
23 1000

## I. A. C. N. R. No 177 Dnd. Mr. Ind.

80.00 Set a post for the car of 13. 16. 21 22. from which  
Sugar. 8 in diam. N 87 E. 29 the dist. to  
Beech. 18 " " " N 60 E. 4 " "  
Leave the same; Timber Poplar, Ash, &c.

East On a random line between Set 27 28 I. C. N. R. 177.  
40.00 Set a trap for a post  
65.00 Set a post 200 the line, leave I. N.  
80.10 Set a post on the line at the car of 14. 15 22 23.  
Leave the same.

West On the line between Set 27 28. I. C. N. R. 177.  
40.05 Set a trap for a post at the an. dist. on the line  
from which, Oak. 12 in diam. N 70 E. 37 the dist.  
Sugar. 12 " " " N 27 E. 20. "  
80.10 Set a post on of 21 22 23 24

North Return Set 25 26. I. C. N. R. 177.  
40.00 Set a trap for a post from which  
Oak 10 in diam. N 12 E. 17 the dist. to  
Sugar. 6 " " " N 20 E. 10. "  
80.00 Set a post for the car of 9. 10. 15 16 from which  
Beech. 12 in diam. N 77 E. 10 the dist. to  
10. 11 " " " N 45 E. 19. "  
Leave the same.

East On a random line between Set 10 15. I. C. N. R. 177.  
40.00 Set a trap for a post.  
80.00 Set a post on the line, 12 the North of the post on of  
Set. 10. 11. 14 15. Leave the same.

West On the line between Set 10 15 I. C. N. R. 177.  
40.00 Set a trap for a post at the an. dist. on the line from.







J. A. C. A. R. No 177 Quad Mm. Sec 5.

80.00	Set apart for the crop of 2021-28 1899 from white, Buck 12 in deer house. N 27 W. 14 the dist. 10, W Oak 20 " " S 27 E 25 " " Lumber rolling Timber Poplar, Oak, Ash, Hickory & 118 Spruce.
East	On a Random line between Sec 21 & 28. T. 6 N. R. 1 W.
40.00	Set a trap for support.
45.00	Top Brook 24 links in, corner S.E.
80.14	Set apart the N.B. line at the first crop of 21. 22 & 28 Land the same.
West	On the line between Sec 21 & 28. T. 6 N. R. 1 W.
40.07	Set the trap for support at the ar. dist. on the line from white, Lumber 6 in deer house. N 71 E 15 the dist. corner No. 6 " " S 20 E 6 " "
80.14	Set apart crop of 20-21-28 1899.
North	Between Sec 20 & 21. T. 6 N. R. 1 W.
40.00	Set a trap for support from white, W Oak 20 in deer house. N 52 W 8 the dist. 10, Lumber 6 " " East 3 " "
40.50	Top Brook 25 links in, corner S.E.
80.00	Set apart for the crop of 16/17/18/19 from white, Sugar - in deer house. West 39 the dist. 10, No. 4 " " N 49 E 5 " " Land the same.
East	On a Random line between Sec 16 & 21. T. 6 N. R. 1 W.
40.00	Set a trap for support
80.00	Set apart the N.B. line of links north of the first crop Sec 13. 16. 21 & 22 Land the same.

J. A. C. A. R. No 177 Quad Mm. Sec 5.

West	Between Sec 16 & 21. T. 6 N. R. 1 W.
40.00	Set the trap for support on the line from white, Sugar 6 in deer house. S 29 W. 24 the dist. 10, W Oak 10 " " N 2 E 14 " "
80.00	Set apart crop of 16/17/18/19.
North	Between Sec 16 & 17. T. 6 N. R. 1 W.
40.00	Set a trap for support from white, W Oak 40 in deer house. N 11 E 41 the dist. 10, Hickory 10 " " N 28 E 56 " "
80.00	Set apart for the crop of 8-9-16-17/18/19 from white, Lumber 4 in deer house. N 22 E 11 the dist. 10, No. 6 " " N 37 W 30 " " Land the same.
East	On a Random line between Sec 9 & 16. T. 6 N. R. 1 W.
40.00	Set a trap for support
50.00	Top Brook 12 links in, corner N.E.
80.18	Set apart the N.B. line at the first crop of 9-10-15/16/17. Land the same.
West	On the line between Sec 9 & 16. T. 6 N. R. 1 W.
40.09	Set the trap for support on the line from white, Sugar 3 in deer house. S 20 W 8 the dist. corner S. 20 W 6 " " S 30 W 6 " "
80.18	Set apart crop of 8-9-16/17/18.
North	Between Sec 8 & 9. T. 6 N. R. 1 W.
40.00	Set a trap for support from white, Sugar 8 in deer house. N 87 W 9 the dist. 10, No. 10 " " N 10 W 21 " "
80.00	Set apart for the crop of 4-5-8-9/10/11/12/13/14/15/16/17/18/19 from white, Buck 6 in deer house. N 45 E 7 the dist. 10



T. N. C. A. R. N. 177<sup>th</sup> J. M. S. Ind.

N. W. 10 in deer bone. N 30 W. 11 the dist. to  
Sound the same.

East On the line between Sur 489 & 16<sup>th</sup> M. R. 177  
40.00 Set a trap for support.

58.00 To a Rock 10 miles in the corner.

80.10 Set out the N. W. line. at the post on of sur. 349110  
Sound very rich Timber same.

West On the line between Sur 489 & 16<sup>th</sup> M. R. 177  
40.00 Set the trap for support at the ar. east on the line  
from white, Rock 6 in deer bone. N 86 E 18 the dist.  
can be 100 yds to 600 yds. N 40 W 16 " "  
80.10 Set the post on of sur. 4.5, 849.

North Between Sur 485 & 16<sup>th</sup> M. R. 177.

6.50 To a Rock 12 in deer bone in the line.

40.00 Set a trap for support from white,  
Rock 12 in deer bone. S 22 E 22 the dist. to  
Do. 10 " " " N 28 W 12 " "

42.00 To a Rock 15 the m. in, corner S. E.

45.00 a <sup>36 in. dia</sup> ~~pyram~~  
86.50 Sub. cut the North 135 by the West of the post on  
of sur. 32133 T. J. A. R. 177 and set a post for the  
on of sur. 445 from white.

Rock 12 in deer bone. S 82 W 8 the dist. to  
Do. 10 " " " N 83 E 50 " "  
Sound same. very rich April 6. 1814

~~The following line is in a scrap of paper with  
writing of John Milroy & appears to be a survey  
of the last named line.~~

North. Between Sur 483 & 16<sup>th</sup> M. R. 177. Beginning at the post on of sur.

T. N. C. A. R. N. 177<sup>th</sup> J. M. S. Ind.

2.00 To a Rock 15 miles in, corner S. E.

5.00 To a ~~pyram~~ <sup>36 in. dia</sup> in the line.

46.50 Sub. cut the N. W. 7 by the West of the post on of sur.  
32133 T. J. A. R. 177 and set a post for the cor.  
445. from white,  
Rock 12 in deer bone. S 82 W 8 the dist. to  
Do. 10 " " " N 83 E 50 " "

North Between Sur 31732 & 16<sup>th</sup> M. R. 177.

40.00 Set a trap for support from white,  
Rock 10 in deer bone. N 29 E 25 the dist. to  
Do. 10 " " " S 57 W 25 " "

62.00 To a Rock 25 the m. in, corner S. E.

80.00 Set a post for the cor. of sur. 27.30.31.32 from white,  
Do. ground 4 in deer bone. N 65 E 17 the dist. to  
Do. 8 " " " S 77 W 11 " "  
Sound rolling; Timber Oak, Hickory, &c. Poplar.

East On the line between Sur 29132 & 16<sup>th</sup> M. R. 177.

40.00 Set a trap for support

80.86 Sub. cut the N. W. line at the post on of sur. 28.19.348  
33. Sound the same.

West On the line between Sur 29132 & 16<sup>th</sup> M. R. 177

40.00 Set the trap for support on the line from white,

Rock 12 in deer bone. N 62 E 48 the dist. to

Do. ground 6 " " " N 60 W 22 " "

80.00 Set the post on of sur. 29.30.31.32.

West Between Sur 30131 & 16<sup>th</sup> M. R. 177.

5.00 To a Rock 20 the m. in, corner S.

40.00 Set a trap for support from white,

Rock 10 in deer bone. N 55 E 25 the dist. to



## T. C. A. R. N. 177 2nd Mo. Ind.

83.12 W Oak 12 in dia: here S 36 20 lbs dist: to  
 Intercept the West Branch 754 lbs. South of the  
 post co of res. 25 136. T. C. A. R. 277. and set apart  
 for the " " 30 131. From which  
 Hogwood 6 in dia: here S 99 E 39 lbs dist: to  
 W Oak 12 " " " A 64 E 34 " "  
 Land the same. April 8. 1804.

South Between Jul 29 130. T. C. A. R. 177.  
 40.00 Set a 7/8 supert from which  
 W Oak 12 in dia: here S 95 E 25 lbs dist: to  
 B Oak 10 " " " S 38 W 16 " "  
 80.00 Set apart for the co of res. 19 20 29 130 from which  
 W Oak 18 in dia: here S 85 E 10 lbs dist: to  
 Hick 10 " " " S 75 W 16 " "  
 Land the same. Timber Oak & Hick

East On a Random line between Jul 20 & 29. T. C. A. R. 177.  
 40.00 Set a temp 7/8 supert  
 80.00 Intercept the A 13 line at the post co of res. 20 21 28  
 & 29. Land the same.

West On the true line between Jul 20 & 29. T. C. A. R. 177.  
 40.00 Set the temp 7/8 supert on the true line from which  
 B Oak 20 in dia: here S 29 E 25 lbs dist: to  
 Do. 20 " " " A 52 W 35 " "  
 80.00 To the post co of res. 19 20 29 130.

West Between Jul 19 130. T. C. A. R. 277.  
 14.00 To a W Oak 20 in dia: on the line  
 40.00 Set a 7/8 supert from which  
 Hick 8 in dia: here N 86 E 30 lbs dist: to  
 W Oak 12 " " " S 77 W 25 " "

## T. C. A. R. N. 177 2nd Mo. Ind.

83.13 Intercept the West Branch 29 lbs. South of the post  
 co of res. 24 125 T. C. A. R. 277. and set apart for  
 19 130 from which  
 B Oak 3 in dia: here S 107 W 8 lbs dist: to  
 Do. 5 " " " S 92 E 8 " "  
 Land the same. Timber Oak & Hick

North Between Jul 19 130. T. C. A. R. 177.  
 40.00 Set a 7/8 supert from which  
 B Oak 20 in dia: here S 17 W 30 lbs dist: to  
 W Oak 6 " " " A 52 E 10 " "  
 7.50 To a Brook 18 lbs mid, come S. E.  
 80.00 Set apart for the co of res. 17 18 19 120 from which  
 Red Bud 6 in dia: here S 27 W 35 lbs dist: to  
 Sugar 8 " " " A 10 E 7 " "  
 Land the same.

East On a Random line between Jul 17 120. T. C. A. R. 177.  
 1.50 To a Brook 18 lbs mid, come S. E.  
 40.00 Set a temp 7/8 supert.  
 80.12 Intercept the A 13 line at the post co of res. 16 17 20 21  
 Land the same.

West On the true line between Jul 17 120. T. C. A. R. 277.  
 40.06 Set the temp 7/8 supert at the ar. dist on the true line from  
 which Hick 10 in dia: here N 61 W 19 lbs dist: to  
 and do 10 " 20 " " " A 48 E 17 " "  
 80.12 To the post co of res. 17 18 19 120.

West Between Jul 18 119. T. C. A. R. 177.  
 40.00 Set a 7/8 supert from which  
 B Oak 6 in dia: here S 23 W 6 lbs dist: to  
 Linnwood " " " S 74 E 8 " "



T. N. C. A. R. N. 177 2<sup>nd</sup> Mer. Ind.

82.50 Intersub the West Boundary 68 links South of the post co of sec. 13 & 24. T. 6 N. R. 2 W. and set a  
" " " 18 & 19 from which,  
Beck. 10 in dia. beam. N 64 E. 19 lbs dist; to  
No. 20 " " " S 48 W. 24 " "  
Saw the same.

North Return Sec. 17 & 18 T. 6 N. R. 1 W.  
5.00 To a Brook. 18 links min, course N. E.  
40.00 Set a 7/8 support from which,  
Beck. 20 in dia. beam. North 50 lbs dist; to  
80.00 Set a post for the cor. of sec. 7 & 8. 17 & 18 from which,  
W Oak. 18 in dia. beam. N 28 W. 24 lbs dist; to  
No. 10 " " " S 15 E. 14 " "  
Saw the same.

East On a Kenda line between Sec. 8 & 11. T. 6 N. R. 1 W.  
40.00 Set a trip. 7/8 support.  
80.10 Intersub the N & S line 12 links South of the post  
co of sec. 8, 9, 16 & 17. Saw the same.

West On the true line between Sec. 8 & 11. T. 6 N. R. 1 W.  
40.05 Set the trip. 7/8 support at the cor. dist on the true line  
from which, Sugar. 8 in dia. beam. N 74 W. 35 lbs dist  
and a W Oak. 10 " " " S 13 E. 34 " "  
80.10 To the post co of sec. 7 & 8. 17 & 18.

West Return Sec. 7 & 18. T. 6 N. R. 1 W.  
40.00 Set a 7/8 support from which,  
Immood 8 in dia. beam. N 60 W. 20 lbs dist; to  
Logmood 6 " " " N 55 E. 13 " "  
40.00 To a Brook 10 links min, course South.  
82.50 Intersub the West Boundary 50 links South of the

T. N. C. A. R. N. 177 2<sup>nd</sup> Mer. Ind.

Post co of sec. 12 & 13. T. 6 N. R. 2 W. and set a post co  
of sec. 7 & 18. from which,  
Beck. 12 in dia. beam. N 74 W. 11 lbs dist; to  
Ebm. 8 " " " S 86 E. 17 " "  
Saw the same and do nothing. Same same

North Return Sec. 7 & 8. T. 6 N. R. 1 W.  
40.00 Set a 7/8 support from which,  
Beck. 20 in dia. beam. N 9 W. 29 lbs dist; to  
No. 8 " " " " N 56 W. 16 " "  
46.05 To a W Oak. 12 in dia. in the min.  
80.00 Set a post for the cor. of sec. 5 & 6. 7 & 8 from which,  
W Oak. in dia. beam. N 82 W. 8 lbs dist; to  
Poplar 10 " " " N 35 W. 30 " "  
Saw the same.

East On a Kenda line between Sec. 5 & 8. T. 6 N. R. 1 W.  
40.00 Set a trip. 7/8 support.  
58.00 To a Brook. 8 links min, course N.  
80.00 Intersub the N & S line 12 links North of the post co of  
Sec. 4, 5, 8 & 9. Saw the same.

West On the true line between Sec. 5 & 8. T. 6 N. R. 1 W.  
40.00 Set a trip. 7/8 support at the cor. dist on the true line  
from which, W Oak. 12 in dia. beam. N 51 E. 17 lbs dist  
and a Beck. 10 " " " S 51 W. 21 " "  
80.00 To the post co. of sec. 5 & 6. 7 & 8

West Return Sec. 6 & 7. T. 6 N. R. 1 W.  
40.00 Set a 7/8 support from which,  
W Beck. 5 in dia. beam. N 80 E. 43 lbs dist; to  
No. 10 " " " S 50 E. 10 " "  
83.27 Intersub the West Boundary 98 links South of the post



T. N. C. A. R. N. 179<sup>nd</sup> M. Ind.

con of sec 179 T. C. A. R. 277 and set a post for the  
 " " 647 from which  
 Bunk. 12 in diam. beam. 569 E. 13 links dist. to  
 Hogmuck 64 " " N 2 E. 8 " "  
 Land the same.

North Return Sec 645 T. C. A. R. 177  
 4000 Set a post. from which  
 Bunk. 10 in diam. beam. 538 N. 5 links dist. to  
 Hick 12 " " N 14 W 13 " "  
 84.78 Intersect the A. B. road 53 links West of the post con.  
 of sec 31 132 T. C. A. R. 177 and set a post for the  
 con of sec 576 from which  
 Bunk. 18 in diam. beam. 522 E. 21 links dist. to  
 Ho. 10 " " N 15 W 13 " "  
 Land the same. Apr. 7<sup>th</sup> 1814.

Surveyed by  
 Arthur Henric,  
 Dep<sup>y</sup> Sur.

North Return Sec 342 T. C. A. R. 177 from the post  
 in the writing of John Milroy. 1<sup>st</sup> March 1823.  
 25.09 Intersect Salt Creek 350 links N. E. C.  
 42.00 Intersect Salt Creek 300 " " " " " "  
 46.41 Intersect the A. B. road 112 links West of the post con.  
 of sec 31 132 T. C. A. R. 177 and set a post for the con  
 " " 374 from which  
 Sugar, 24 in diam. beam. N 25 W E 14 links dist. to  
 Bunk. 7 " " E 3 E 10 " "

camp.

T. N. C. A. R. N. 179<sup>nd</sup> M. Ind.

I certify that the foregoing Transcript of the field  
 notes of Township N. 6 North of Range N. 1 West  
 of the 2<sup>nd</sup> Mer. Ind. has been compared with the  
 Original notes of the township in this Office & found  
 to be correct.  
 Surveyor General's Office,  
 Cincinnati, Oct. 16 1851

Sur. General,